



CTK-20 L



KOHLER LOMBARDINI
KOHLER LOMBARDINI

ACCESSORIES

CODE	OPTIONS
82177	ANALOGIC CLOCK MOUNTED
82176	DIGITAL COLOCK MOUNTED

1500 RPM AIR					DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	kVA		SEE PAGE 26	KG
OPEN THREE PHASE - 400V						
			CONT	S-BY		
92512	CTLD-7 L	4LD820	5,5	7	CAR100	252
92518	CTLD-11 L	9LD625.2	10	11,4	CAR115	322
WEATHERPROOF THREE PHASE - 400V						
92518CPT01	CTLD-11 L	9LD625,2	10	11,4	CAR193	416

1500 RPM WATER COOLED					DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	kVA		SEE PAGE 26	KG
OPEN THREE PHASE - 400V						
			CONT	S-BY		
92565	CTW-8 L	LDW-1003	7	8	CAR115	275
92568	CTW-11 L	LDW-1404	10	11,4	CAR115	325
925701	CTK-16 L	KDI-1903	15	16	CAR115	370
92575	CTK-20 L	KDI-1903	19	21	CAR115	460
92577*	CTK-28 L	KDI-2504	25	28	CAR115	520
925772*	CTK-35L	KDI-2504-TM30	30	35	CAR115	530
925773*	CTK-44 L	KDI-2504 TM40	40	45	CAR115	695
925780*	CTK-66 L	KDI-3404 TM	60	66	CAR115	890

WEATHERPROOF THREE PHASE - 400V						
92565CPT01	CTW-8 L	LDW-1003	7	8	CAR193	
92568CPT01	CTW-11 L	LDW-1404	10	11,4	CAR193	625
925701CPT01	CTK-16 L	KDI-1903	15	16	CAR193	670
92575CPT01	CTK-20 L	KDI-1903	19	21	CAR193	760
92577CPT01*	CTK-28 L	KDI-2504	25	28	CAR193	820
925772CPT01*	CTK-35 L	KDI-2504-TM30	30	35	CAR193	830
925773CPT01*	CTK-44 L	KDI-2504-TM40	40	45	CAR193	830

SOUNDPROOF THREE PHASE - 400V						
92692	CTW-8 LI	LDW-1003	7	8	CAR206	550
92694	CTW-11 LI	LDW-1404	10	11,4	CAR206	600
9269601	CTK-16 LI	KDI-1903	15	16	CAR206	675
92698	CTK-20 LI	KDI-1903	19	21	CAR206	750
92699*	CTK-28 LI	KDI-2504	25	28	CAR206	815
926992*	CTK-35 LI	KDI-2504-TM30	30	35	CAR210	885
926993*	CTK-44 LI	KDI-2504 TM40	40	45	CAR210	975
927005*	CTK-66 LI	KDI-3404 TM	60	66	CAR221	1270

INCLUDING: KIT ENGINE PROTECTION AND START / STOP BY SIMPLE PUSH CONTACT.



Automatic voltage regulation AVR

Access to Online Prices



AA: AIR OIL COOLED



A: AIR COOLED



AO: OIL COOLED



1500 RPM AO/AA/AA COOLED



CODE	MODEL	ENGINE	REFRIG.	kVA		DIMENSIONS	WEIGHT
				CONT	S-BY		
OPEN THREE PHASE - 400V							
92327030	CTDM-14 L	F2M2011	AO	12,5	14	CAR115	290
92327005	CTD-14 L	F2L2011	AA	12,5	14	CAR115	280
92327034	CTDM-22 L	F3M2011	AO	20	22	CAR115	520
92327008	CTD-22 L	F3L2011	AA	20	22	CAR115	385
92327038*	CTDM-33 L	F4M2011	AO	30	33	CAR115	545
92327010*	CTD-33 L	F4L2011	AA	30	33	CAR115	530
92326810*	CTDF-30 L	F3L912	A	30	33	CAR115	595
92327040*	CTDM-44 L	BF4M2011	AO	40	44	CAR115	695
92327012*	CTD-44 L	BF4L2011	AA	40	44	CAR115	595
92326812*	CTDF-40 L	F4L912	A	40	44	CAR150	670
92327045*	CTDM-66 L	BF4M2011 C	AO	60	66	CAR150	880
92326814*	CTDF-60 L	F6L912	A	60	63	CAR160	950

WEATHERPROOF THREE PHASE - 440V

92327030CPT01	CTDM-14 L	F2M2011	AO	12,5	14	CAR193	514
92327034CPT01	CTDM-22 L	F3M2011	AO	20	22	CAR193	990
92327038CPT01*	CTDM-30 L	F4M2011	AO	30	33	CAR193	1135
92327040CPT01*	CTDM-42 L	BF4M2011	AO	40	44	CAR193-1	

SOUNDPROOF THREE PHASE - 400V

92328406	CTDM-14 LI	F2M2011	AO	12,5	14	CAR206	600
92328408	CTDM-22 LI	F3M2011	AO	20	22	CAR206	990
92328410*	CTDM-33 LI	F4M2011	AO	30	33	CAR210	1135
92328412*	CTDM-44 LI	BF4M2011	AO	40	44	CAR210	1420
92328414*	CTDM-66 LI	BF4M2011C	AO	60	66	CAR210	1480


Access to Online Prices



Automatic voltage regulation AVR



MAXXFORCE



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
OPEN THREE PHASE - 400V						
92916012	CTM-90 L	4,12-T	80	88	CAR160	KG
92916018	CTM-110 L	4,12-TCA	100	110	CAR160	
92916020	CTM-125L	4,12-TCA	125	138	CAR170	
92918	CTM-116 L	6,10-T	100	116	CAR170	
92919	CTM-130 L	6,10-T	125	138	CAR170	
92920	CTM-150 L	6,10-TCA	135	149	CAR170	
929215	CTM-205 L	6,12-TCA	180	200	CAR170	

[Access to Online Prices](#)





1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
OPEN THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
92327516	CTDW-80 L	BF4M2012 C	72	80	CAR160	1250
92327519	CTDW-95 L	BF4M103 E	90	95	CAR160	
92327522	CTDW-110 L	BF4M1013 ECG	100	110	CAR160	1340
92327528	CTDW-149 L	BF4M1013 FC	135	149	CAR170	1475
92327532	CTDW-165 L	BF6M1013 EC	150	165	CAR170	1640
92327533	CTDW-200 L	BF6M1013 FCP	180	200	CAR170	1700
92327534	CTDW-220 L	BF6M1013FCP2	200	220	CAR170	1750
92327536	CTDW-275 L	TCD2013L064V	250	275	CAR180	2250
92327540	CTDW-330 L	BF6M1015 C	300	330	CAR180	2980
92327542	CTDW-390 L	BF6M1015 C2	350	390	CAR180	3100
92327543	CTDW-420 L	BF6M1015 CP	380	420	CAR180	3300
92327545	CTDW-476 L	BF8M1015 C	430	476	CAR180	3750
92327548	CTDW-520 L	BF8M1015 C2	470	520	CAR180	3860
92327550	CTDW-550 L	BF8M1015 CP	500	550	CAR180	4100



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
SOUNDPROOF THREE PHASE - 400V			CONT	S-BY	VER PAG. 28	KG
92328415	CTDW-80 LI	BF4M2012 C	72	80	CAR221	1505
92328419	CTDW-95 LI	BF4M1013 E	90	95	CAR227	
92328422	CTDW-110 LI	BF4M1013 ECG	100	110	CAR227	1650
92328428	CTDW-149 LI	BF4M1013 FC	135	149	CAR236	2150
92328432	CTDW-165 LI	BF6M1013 EC	150	165	CAR236	2375
92328433	CTDW-200 LI	BF6M1013 FCP	180	200	CAR236	2675
92328434	CTDW-220 LI	BF6M1013FCP2	200	220	CAR236	3150
92328436	CTDW-275 LI	TCD2013L064V	250	275	CAR240	3360
92328440	CTDW-330 LI	BF6M1015 C	300	330	CAR270	4400
92328442	CTDW-390 LI	BF6M1015 C2	350	390	CAR270	4600
92328443	CTDW-420 LI	BF6M1015 CP	380	420	CAR270	4650
92328445	CTDW-476 LI	BF8M1015 C	430	476	CAR270	5975
92328448	CTDW-520 LI	BF8M1015 C2	470	520	CAR270	6200
92328450	CTDW-550 LI	BF8M1015 CP	500	550	CAR270	6450

Access to Online Prices





1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
OPEN THREE PHASE - 400V						
			CONT	S-BY	SEE PAGE 26	KG
923785	CTI-33 L	S8000 AM1	29	33	CAR150	690
923789	CTI-50 L	N45AM1A	45	50	CAR150	792
923793	CTI-55 L	N45AM2	50	55	CAR150	920
923794	CTI-66 L	N45SM1A	60	66	CAR160	980
92379605	CTI-90 L	N45SM3	80	90	CAR160	1270
923802	CTI-110 L	N45TM2A	100	110	CAR160	1270
92380210	CTI-133 L	N45TM3	120	131	CAR160	1300
923803	CTI-138 L	N67SM1	125	138	CAR165	1390
923806	CTI-176 L	N67TM4	160	175	CAR165	1490
92380605	CTI-182 L	N67TM4	170	182	CAR165	1580
92381002	CTI-220 L	N67TM7	200	220	CAR165	1890
92381005	CTI-277 L	N67TE8P	250	275	CAR180	1850
92381605	CTI-330 L	C87TE4	300	330	CAR180	2500
923825	CTI-385 L	C13TE2	350	385	CAR180	2825
923830	CTI-440 L	C13TE3A	400	440	CAR180	2990
92383003	CTI-500 L	C13TE6W	450	500	CAR180	3100
92383005	CTI-550 L	C13TE7W	500	550	CAR180	3350
92383012	CTI-615 L	C16TE1W	595	615	CAR180	3650



SOUNDPROOF THREE PHASE - 400V

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
SOUNDPROOF THREE PHASE - 400V						
			CONT	S-BY	SEE PAGE 26	KG
923903	CTI-33 LI	S8000 AM1	29	33	CAR210	1210
923911	CTI-45 LI	N45AM1A	45	50	CAR221	1270
923916	CTI-55 LI	N45AM2	50	55	CAR221	1270
923920	CTI-66 LI	N45SM1A	60	66	CAR221	1356
92393002	CTI-90 LI	N45SM3	80	90	CAR227	1500
923935	CTI-110 LI	N45TM2A	100	110	CAR227	2080
923936	CTI-133 LI	N45TM3	120	131	CAR227	2150
923937	CTI-138 LI	N67SM1	125	138	CAR236	2210
923945	CTI-176 LI	N67TM3A	160	176	CAR236	2300
92394505	CTI-182 LI	N67TM4	170	182	CAR236	2450
92395005	CTI-220 LI	N67TM7	200	220	CAR236	3010
92395011	CTI-277 LI	N67TE8P	250	275	CAR240	3100
92395505	CTI-330 LI	C87TE4	300	330	CAR270	4100
923970	CTI-385 LI	C13TE2	350	385	CAR270	4250
923975	CTI-440 LI	C13TE3A	400	440	CAR270	4400
92397503	CTI-500 LI	C13TE6W	450	500	CAR270	4475
92397505	CTI-550 LI	C13TE7W	500	550	CAR270	4825
92397512	CTI-615 LI	C16TE1W	595	615	CAR270	5450

Access to Online Prices



VOLVO



1500 RPM WATER COOLED			kVA		DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	CONT	S-BY	SEE PAGE 26	KG
OPEN THREE PHASE - 400V						
92340515	CTV-94 L	TAD530	85	95	CAR160	
92340520	CTV-110 L	TAD531	100	110	CAR160	
92340525	CTV-145 L	TAD532	130	145	CAR160	
92340530	CTV-165 L	TAD731	150	165	CAR165	
92340535	CTV-200 L	TAD732	180	200	CAR165	
92340540	CTV-220 L	TAD733	200	220	CAR165	
92340545	CTV-275 L	TAD841	250	275	CAR180	
92340550	CTV-330 L	TAD842	300	330	CAR180	
92340555	CTV-360 L	TAD843	325	360	CAR180	
92340560	CTV-390 L	TAD1342	350	390	CAR180	
92340565	CTV-415 L	TAD1343	380	415	CAR180	
92340570	CTV-450 L	TAD1344	410	450	CAR180	
92340575	CTV-500 L	TAD1345	450	500	CAR194	
92340580	CTV-550 L	TAD1641	500	550	CAR194	
92340585	CTV-650 L	TAD1642	600	660	CAR194	
92340590	CTV-717 L	TWD1644	650	717	CAR194	
92340595	CTV-770 L	TWD1645	700	770	CAR194	



1500 RPM WATER COOLED			kVA		DIMENSIONS	WEIGHT
CODE	MODEL	ENGINE	CONT	S-BY	SEE PAGE 26	KG
SOUNDPROOF THREE PHASE - 400V						
92340915	CTV-94 LI	TAD530	85	95	CAR221	
92340920	CTV-110 LI	TAD531	100	110	CAR227	
92340925	CTV-145 LI	TAD532	130	145	CAR227	
92340930	CTV-165 LI	TAD731	150	165	CAR236	
92340935	CTV-200 LI	TAD732	180	200	CAR236	
92340940	CTV-220 LI	TAD733	200	220	CAR236	
92340945	CTV-275 LI	TAD841	250	275	CAR240	
92340950	CTV-330 LI	TAD842	300	330	CAR240	
92340955	CTV-360 LI	TAD843	325	360	CAR270	
92340960	CTV-390 LI	TAD1342	350	390	CAR270	
92340965	CTV-415 LI	TAD1343	380	415	CAR270	
92340970	CTV-450 LI	TAD1344	410	450	CAR270	
92340975	CTV-500 LI	TAD1345	450	500	CAR275	
92340980	CTV-550 LI	TAD1641	500	550	CAR275	
92340985	CTV-650 LI	TAD1642	600	660	CAR275	
92340990	CTV-717 LI	TWD1644	650	717	CAR275	
92340995	CTV-770 LI	TWD1645	700	770	CAR275	



Acceso a Precios Online





1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA	DIMENSIONS	WEIGHT	
OPEN THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
92440033	CTP 75L	1104A 44TG1	65	72	CAR150	
92440035	CTP 88L	1104A 44TG2	80	88	CAR160	
92440045	CTP 110L	1104C 44TAG2	100	110	CAR160	
92440060	CTP 150L	1106A 70TAG1	135	149	CAR170	
92440063	CTP 165L	1106A 70TAG2	150	165	CAR170	
92440070	CTP 200L	1106A70TAG3	180	200	CAR170	
92440075	CTP 220L	1106A 70TAG4	200	220	CAR170	
92440080	CTP 250L	1206A E70TTAG2	225	250	CAR180	
92440085	CTP 275L	1206A E0TTAG3	250	275	CAR180	
92440120	CTP 400L	2206A E13TAG2	350	400	CAR180	
92440125	CTP 450L	2206A E13TAG3	400	450	CAR180	
92440130	CTP 500L	2506A E15TAG1	455	500	CAR194	
92440135	CTP 550L	2506 E15TAG2	500	550	CAR194	
92440140	CTP 660L	2806A E18TAG1A	600	660	CAR194	
92440145	CTP 700L	2806A E18TAG2	650	700	CAR194	
92440150	CTP 850L	2806A E18TTAG5	770	850	CAR194	



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA	DIMENSIONS	WEIGHT	
SOUNDPROOF THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
92450032	CTP 72 LI	1104A 44TG1	65	72	CAR221	
92450035	CTP 88 LI	1104A 44TG2	80	88	CAR221	
92450045	CTP 110 LI	1104C 44TAG2	100	110	CAR227	
92450060	CTP 150 LI	1106A 70TAG1	135	149	CAR236	
92450063	CTP 165 LI	1106A 70TAG2	150	165	CAR236	
92450070	CTP 200 LI	1106A70TAG3	180	200	CAR236	
92450075	CTP 220 LI	1106A 70TAG4	200	220	CAR236	
92450080	CTP 250 LI	1206A E70TTAG2	225	250	CAR240	
92450085	CTP 275 LI	1206A E0TTAG3	250	275	CAR240	
92450120	CTP 400 LI	2206A E13TAG2	350	400	CAR270	
92450125	CTP 450 LI	2206A E13TAG3	400	450	CAR270	
92450130	CTP 500 LI	2506A E15TAG1	455	500	CAR275	
92450135	CTP 550 LI	2506 E15TAG2	500	550	CAR275	
92450140	CTP 660 LI	2806A E18TAG1A	600	660	CAR275	
92450145	CTP 700 LI	2806A E18TAG2	650	700	CAR275	
92450150	CTP 850 LI	2806A E18TTAG5	770	850	CAR275	



Access to Online Prices





1500 RPM WATER COOLED						
CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
OPEN THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
92440005	CTP-10 L	403A-11G1	9	10	CAR115	
92440007	CTP-14 L	403A-15G1	12,5	14	CAR115	
92440009	CTP-17 L	403A-15G2	15	16,5	CAR115	
92440015	CTP-22 L	404A-22G	20	22	CAR115	
92440020	CTP-33 L	1103A-33	30	33	CAR115	
92440023	CTP-44 L	1103A-33TG1	40	44	CAR115	
92440025	CTP-50 L	1103A-33TG1	45	50	CAR150	
92440030	CTP-66 L	1103A-33TG2	60	66	CAR150	



1500 RPM WATER COOLED						
CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
WEATHERPROOF THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
92440005CPT01	CTP-10 L	403A-11G1	9	10	CAR193	
92440007CPT01	CTP-14 L	403A-15G1	12,5	14	CAR193	
92440009CPT01	CTP-16 L	403A-15G2	15	16,5	CAR193	
92440015CPT01	CTP-20 L	404A-22G	20	22	CAR193	



1500 RPM WATER COOLED						
CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
SOUNDPROOF THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
92450005	CTP-10 LI	403A-11G1	9	10	CAR206	
92450007	CTP-14 LI	403A-15G1	12,5	14	CAR206	
92450009	CTP-17 LI	403A-15G2	15	16,5	CAR206	
92450015	CTP-22 LI	404A-22G	20	22	CAR206	
92450020	CTP-33 LI	1103A-33G	30	33	CAR210	
92450023	CTP-44 LI	1103A-33TG1	40	44	CAR221	
92450025	CTP-50 LI	1103A-33TG1	45	50	CAR221	
92450030	CTP-66 LI	1103A-33TG2	60	66	CAR221	

[Access to Online Prices](#)





JOHN DEERE




1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
OPEN THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
CTJ 33 L		3029DFU20	30	33	CAR150	
CTJ 44 L		3029TFU20	40	44	CAR150	
CTJ 75 L		4045TF158R	68	75	CAR160	
CTJ 90 L		4045TFU20	80	90	CAR160	
CTJ 110 L		4045HFU20	100	110	CAR160	
CTJ 132 L		6068TF258R	120	132	CAR170	
CTJ 170 L		6068HF158R	150	170	CAR170	
CTJ 200 L		6068HF158R	180	200	CAR170	
CTJ 220 L		6068HFU20	200	220	CAR170	
CTJ 275 L		6068HFU55	251	278	CAR180	



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
SOUNDPROOF THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	KG
CTJ 33 LI		3029DFU20	30	33	CAR210	
CTJ 44 LI		3029TFU20	40	44	CAR210	
CTJ 75 LI		4045TF158R	68	75	CAR227	
CTJ 90 LI		4045TFU20	80	90	CAR227	
CTJ 110 LI		4045HFU20	100	110	CAR227	
CTJ 132 LI		6068TF258R	120	132	CAR236	
CTJ 170 LI		6068HF158R	150	170	CAR236	
CTJ 200 LI		6068HF158R	180	200	CAR236	
CTJ 220 LI		6068HFU20	200	220	CAR236	
CTJ 275 LI		6068HFU55	251	278	CAR240	



Access to Online Prices





1500 RPM WATER COOLED

CÓDIGO	MODELO	MOTOR	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
OPEN THREE PHASE - 400V						
92480030	CTDO-220 L	P086 TI	200	220	CAR180	1900
92480035	CTDO-330 L	P126 TI-II	300	338	CAR180	2675
92480040	CTDO-358 L	DP126 LA	325	358	CAR180	2990
92480045	CTDO-400 L	DP126 LB	365	400	CAR180	3100
92480050	CTDO-450 L	DP158 LE	410	450	CAR180	3225
92480055	CTDO-500 L	DP158 LCF	455	500	CAR180	3350
92480060	CTDO-580 L	DP158 LDF	525	580	CAR180	3500
92480065	CTDO-630 L	DP180 LAF	570	630	CAR180	3750
92480070	CTDO-700 L	DP180 LBF	635	700	CAR180	3950
92480075	CTDO-750 L	DP222 LBF	680	750	CAR194	4500
92480080	CTDO-820 L	DP222 LCF	745	820	CAR194	4750



1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA		DIMENSIONS	WEIGHT
			CONT	S-BY		
SOUNDPROOF THREE PHASE - 400V						
92480130	CTDO-220 LI	P-086 TI	200	220	CAR236	3150
92480135	CTDO-330 LI	P126 TI-II	300	338	CAR240	4000
92480140	CTDO-358 LI	DP126 LA	325	358	CAR270	4500
92480145	CTDO-400 LI	DP126 LB	365	400	CAR270	4750
92480150	CTDO-450 LI	P158 LE	410	450	CAR270	4850
92480155	CTDO-500 LI	DP158 LCF	455	500	CAR270	5000
92480160	CTDO-580 LI	DP158 LDF	525	580	CAR270	5200
92480165	CTDO-630 LI	DP180 LAF	570	630	CAR270	6100
92480170	CTDO-700 LI	DP180 LBF	635	700	CAR275	6200
92480175	CTDO-750 LI	DP222 LBF	680	750	CAR275	6200
92480180	CTDO-820 LI	DP222 LCF	745	820	CAR275	6750



Access to Online Prices





1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA	DIMENSIONS		
OPEN THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	
92320210	CTB 20 L	4M06G20/5	18	20	CAR115	
92320212	CTB 25 L	4M06G25/5	23	25	CAR115	
92320218	CTB 35 L	4M06G35/5	30	35	CAR150	
92320221	CTB 44 L	4M06G44/5	40	44	CAR150	
92320222	CTB 50 L	4M06G50/5	45	50	CAR150	
92320223	CTB 55 L	4M06G55/5	50	55	CAR150	
92320225	CTB 72 L	4M11G70/5	65	72	CAR160	
92320230	CTB 90 L	4M11G90/5	80	88	CAR160	
92320234	CTB 110 L	4M11G120/5	100	110	CAR160	
92320236	CTB 150 L	6M11G150/5	130	150	CAR170	
92320238	CTB 165 L	6M11G165/5	150	165	CAR170	
92320244	CTB 220 L	6M16G220/5	200	220	CAR170	
92320246	CTB 250 L	6M16G250/5	230	250	CAR180	
92320248	CTB 275 L	6M16G275/5	250	275	CAR180	
92320249	CTB 300 L	6M16G300/5	275	300	CAR180	
92320250	CTB 350 L	6M16G350/5	***	350	CAR180	
92320251	CTB 350R L	6M16G350/5	300	350	CAR180	
92320252	CTB 385 L	6M21G385/5	350	385	CAR194	
92320257	CTB 440 L	6M21G440/5	400	440	CAR194	
92320261	CTB 500 L*	6M21G500/5*	***	500	CAR194	
92320263	CTB 500R L	6M26G500/5	450	500	CAR194	
92320264	CTB 550 L	6M26G550/5	500	550	CAR194	
92320267	CTB 660 L	6M33G660/5	600	660	CAR194	
92320269	CTB 715 L*	6M33G715/5*	650	715	CAR194	
92320270	CTB 750 L*	6M33G750/5*	680	750	CAR194	
92320275	CTB 825 L	6M33G825/5*	750	825	CAR194	

1500 RPM WATER COOLED

CODE	MODEL	ENGINE	kVA	DIMENSIONS		
SOUNDPROOF THREE PHASE - 400V			CONT	S-BY	SEE PAGE 26	
92320405	CTB 20 LI	4M06G20/5	18	20	CAR206	
92320408	CTB 25 LI	4M06G25/5	23	25	CAR206	
92320411	CTB 35 LI	4M06G35/5	30	35	CAR210	
92320414	CTB 44 LI	4M06G44/5	40	44	CAR210	
92320418	CTB 50 LI	4M06G50/5	45	50	CAR210	
92320420	CTB 55 LI	4M06G55/5	50	55	CAR210	
92320426	CTB 72 LI	4M11G70/5	65	72	CAR227	
92320428	CTB 90 LI	4M11G90/5	80	88	CAR227	
92320432	CTB 110 LI	4M11G120/5	100	110	CAR227	
92320434	CTB 150 LI	6M11G150/5	130	150	CAR236	
92320437	CTB 165 LI	6M11G165/5	150	165	CAR236	
92320440	CTB 220 LI	6M16G220/5	200	220	CAR240	
92320444	CTB 250 LI	6M16G250/5	230	250	CAR240	
92320448	CTB 275 LI	6M16G275/5	250	275	CAR240	
92320449	CTB 300 L	6M16G300/5	275	300	CAR240	
92320452	CTB 350 L	6M16G350/5	***	350	CAR270	
92320451	CTB 350R L	6M16G350/5	300	350	CAR270	
92320455	CTB 385 LI	6M21G385/5	350	385	CAR275	
92320457	CTB 440 LI	6M21G440/5	400	440	CAR275	
92320261	CTB 500 LI*	6M21G500/5*	***	500	CAR275	
92320463	CTB 500R LI	6M26G500/5	450	500	CAR275	
92320465	CTB 550 LI	6M26G550/5	500	550	CAR275	
92320467	CTB 660 LI	6M33G660/5	600	660	CAR275	
92320469	CTB 715 LI*	6M33G715/5*	650	715	CAR275	
92320470	CTB 750 LI*	6M33G750/5*	680	750	CAR275	
92320475	CTB 825 LI	6M33G825/5*	750	825	CONSULT US	



[Access to Online Prices](#)

